

## TECHNICAL RIDER KULTURFABRIK LYSS - CLUB

### Capacity

Size	64,5m <sup>2</sup> / 77 square yard
Standing capacity	200 (180 ground floor / 20 gallery)
Seating capacity	ca. 50 (40 ground floor / 10 gallery)
Banqueting hall	ca. 48 (ground floor only)

### Stage

Dimensions	Width: 6m / 19.7 feet
	Depth: 3m / 9.9 feet
	Clear height: 4m / 13 feet
	Stage height: 0.6m / 2 feet

Stage expansions: Platforms 2x 1m (6.6x3.3 feet) with adjustable legs (20-90 cm / 7.9-35.4 inches) available.



Stage curtains: Black / fireproof: 1 rear panel, 2 side panel

### Backstage

A backstage area is located directly behind the stage.

### Logistics

A covered entrance to the backstage area (door width 95 cm / 37.5 inches) is located immediately behind the stage. From there, two steps lead to the stage.



**TECHNIC SPECIFICATIONS: CLUB**

Version february 2017, specifications subject to change!

**SOUND****FOH (Digital)**

SET: Behringer X32, 32 Input/ 16 Output

**Mikes & DI (stage standard)**

- 1 Mik Tool-Case
- 5x SHURE SM58
- 2x SHURE SM58 Switch
- 4x SHURE SM57
- 1x SHURE SM52 beta
- 3x AKG C451B condenser
- 3x Sennheiser e604 clip
- 4x BSS AR133 DI-Box
- 1x SHURE SM91
- 1x Sennheiser e609

**Stands (stage standard)**

- 12x K&M boom stand
- 3x K&M tall stand
- 2x K&M small stand
- 2x round base stand

**LIGHT****Stage rig**

- 4 Ignition LED Cobalt Plus Spot 120W
- 16 PAR 56
- 2 ACL 1KW fan
- 2 Blinder 2 times
- 4 Frontal light Fresnel 650W
- 1 Smoke machine Hazer (vapor)
- 2 DMX Booster
- 2 Power distributor CEE16

- 1 MA Dot2 Core

**Monitoring 4 way-set**

- 4x Seeburg M3 wedge 800W
- 2x dB Technologies HPA 1400


**PA-system 1**

- 1x MACH 20.02 Controller
- 2x SEEBURG TSM15
- 4x MACH M 181T SUB 1500W
- 1x QSC RMX 2450
- 1x QSC RMX 4050HD

**Cable set audio power / signal / speaker**

- 1 cable set T13 / XLR / speakon 50 pcs.

**RIGG-PLAN KULTURFABRIK CLUB**



Ambientlight - U1.021

Ambientlight - U1.022

Ambientlight - U1.023



10x Par 56 WFL



4x 500W Fresnel



4x Ignition Cobalt Plus Spot 120W (Mode 1/14 channels)



4x Ignition Ambient Wash 12 Zoom (Mode 1/14 channels)



2x Blinder 2x



1x Atomix 3000 Strobe

1x MA Dot2 Core (controlling device)

7x additional dimmer channels

2x DMX splitter with a line to FOH

## PATCHLIST LIGHT CLUB

### Dimmable lights

Patch	What	Mode	Where
1.001	Front 1	-	Frontruss
1.002	Front 2	-	Frontruss
1.003	Front 3	-	Frontruss
1.004	Front 4	-	Frontruss
1.005	Blinder L	-	Midtruss
1.006	Blinder R	-	Midtruss
1.007	PAR 56	-	Sidetruss l & r
1.008	PAR 56	-	Sidetruss l & r
1.009	PAR 56	-	Sidetruss l & r
1.010	PAR 56	-	Sidetruss l & r
1.011	PAR 56	-	Sidetruss l & r
1.012	Free Dim Channel	-	Sidetruss l & r
1.013	Free Dim Channel	-	Backtruss
1.014	Free Dim Channel	-	Backtruss
1.015	Free Dim Channel	-	Backtruss
1.016	Free Dim Channel	-	Backtruss
1.017	Free Dim Channel	-	Backtruss
1.018	Free Dim Channel	-	Backtruss
1.019	Haze Base - base*hazer*pro	2 Ch.	On stage
1.021	Ambientlight	-	Front
1.022	Ambientlight	-	Mid
1.023	Ambientlight	-	Back
1.024	Strobe Atomic 300 (On Demand)	4 Ch.	Back

1.028 - 1.512 are free channels

### Movable lights

Patch	What		Where
2.001	Ignition Cobalt Plus Spot 120w.	1 (14 Ch.)	Midtruss
2.015	Ignition Cobalt Plus Spot 120w.	1 (14 Ch.)	Backtruss
2.029	Ignition Cobalt Plus Spot 120w.	1 (14 Ch.)	Backtruss
2.043	Ignition Cobalt Plus Spot 120w.	1 (14 Ch.)	Midtruss
2.061	Ignition Ambient Wash 12 Zoom	1 (14 Ch.)	Backtruss
2.075	Ignition Ambient Wash 12 Zoom	1 (14 Ch.)	Midtruss
2.089	Ignition Ambient Wash 12 Zoom	1 (14 Ch.)	Midtruss
2.103	Ignition Ambient Wash 12 Zoom	1 (14 Ch.)	Backtruss

2.117 - 2.512 are free channels